

100TH GENERAL ASSEMBLY State of Illinois 2017 and 2018 HB4707

by Rep. Sue Scherer

SYNOPSIS AS INTRODUCED:

225 ILCS 80/15.1 720 ILCS 570/204 720 ILCS 570/206

from Ch. 56 1/2, par. 1204 from Ch. 56 1/2, par. 1206

Amends the Illinois Controlled Substances Act. Changes the classification of Hydrocodone from a Schedule II controlled substance to a Schedule I controlled substance. Amends the Illinois Optometric Practice Act of 1987 to make a conforming change.

LRB100 16559 RLC 31691 b

CORRECTIONAL
BUDGET AND
IMPACT NOTE ACT
MAY APPLY

1 AN ACT concerning criminal law.

Be it enacted by the People of the State of Illinois, represented in the General Assembly:

- Section 5. The Illinois Optometric Practice Act of 1987 is amended by changing Section 15.1 as follows:
- 6 (225 ILCS 80/15.1)

20

21

22

- 7 (Section scheduled to be repealed on January 1, 2027)
- 8 Sec. 15.1. Diagnostic and therapeutic authority.
- 9 (a) For purposes of the Act, "ocular pharmaceutical agents" anesthetics, topical mydriatics, topical 10 topical cycloplegics, topical miotics and mydriatic reversing agents, 11 anti-infective agents, anti-allergy agents, anti-glaucoma 12 13 agents (except oral carbonic anhydrase inhibitors, which may be 14 prescribed only in a quantity sufficient to provide treatment for up to 30 days), anti-inflammatory agents (except oral 15 16 steroids, which may be prescribed only in a quantity sufficient to provide treatment for up to 7 days), over-the-counter 17 agents, analgesic agents, anti-dry eye agents, and agents for 18 19 the treatment of hypotrichosis.
 - (a-3) In addition to ocular pharmaceutical agents that fall within the categories set forth in subsection (a) of this Section, the Board may add a pharmaceutical agent approved by the FDA or class of agents for the purpose of the diagnosis or

8

9

10

11

14

15

16

17

18

19

20

21

22

23

24

25

- conditions of the 1 treatment of eye and adnexa 2 consideration of the agent's systemic effects, side effects, and the use of the agent within the practice of optometry. The 3 Board shall consider requests for additional agents and make 5 recommendations within 90 days after the receipt of the 6 request.
 - Within 45 days after the Board's recommendation to the Department of a pharmaceutical agent or class of agents, the Department shall promulgate rules necessary to allow for the prescribing or administering of the pharmaceutical agent or class of agents under this Act.
- 12 (a-5) Ocular pharmaceutical agents administered by
 13 injection may be used only for the treatment of anaphylaxis.
 - (a-10) Oral pharmaceutical agents may be prescribed for a child under 5 years of age only in consultation with a physician licensed to practice medicine in all its branches.
 - (a-15) The authority to prescribe a Schedule III, IV, or V controlled substance shall include analgesic agents only in a quantity sufficient to provide treatment for up to 72 hours. The prescription of a Schedule II controlled substance is prohibited, except for Dihydrocodeinone (Hydrocodone) with one or more active, non-narcotic ingredients only in a quantity sufficient to provide treatment for up to 72 hours, and only if such formulations of Dihydrocodeinone are reclassified as Schedule II by federal regulation.
 - (b) A licensed optometrist may remove superficial foreign

- 1 bodies from the human eye and adnexa and may give orders for
- 2 patient care to a nurse or other health care provider licensed
- 3 to practice under Illinois law.
- 4 (c) An optometrist's license shall be revoked or suspended
- 5 by the Department upon recommendation of the Board based upon
- 6 either of the following causes:
- 7 (1) grave or repeated misuse of any ocular
- 8 pharmaceutical agent; and
- 9 (2) the use of any agent or procedure in the course of
- 10 optometric practice by an optometrist not properly
- 11 authorized under this Act.
- 12 (d) The Secretary of Financial and Professional Regulation
- shall notify the Director of Public Health as to the categories
- of ocular pharmaceutical agents permitted for use by an
- optometrist. The Director of Public Health shall in turn notify
- 16 every licensed pharmacist in the State of the categories of
- 17 ocular pharmaceutical agents that can be utilized and
- 18 prescribed by an optometrist.
- 19 (Source: P.A. 98-1111, eff. 8-26-14; 99-909, eff. 1-1-17.)
- 20 Section 10. The Illinois Controlled Substances Act is
- amended by changing Sections 204 and 206 as follows:
- 22 (720 ILCS 570/204) (from Ch. 56 1/2, par. 1204)
- Sec. 204. (a) The controlled substances listed in this
- 24 Section are included in Schedule I.

```
1
               Unless specifically excepted or unless listed in
 2
      another schedule, any of the following opiates, including their
 3
      isomers, esters, ethers, salts, and salts of isomers, esters,
 4
      and ethers, whenever the existence of such isomers, esters,
 5
      ethers and salts is possible within the specific chemical
 6
      designation:
              (1) Acetylmethadol;
7
 8
              (1.1) Acetyl-alpha-methylfentanyl
 9
          (N-[1-(1-methyl-2-phenethyl)-
10
          4-piperidinyl]-N-phenylacetamide);
11
              (2) Allylprodine;
12
              (3) Alphacetylmethadol, except
13
          levo-alphacetylmethadol (also known as levo-alpha-
          acetylmethadol, levomethadyl acetate, or LAAM);
14
15
              (4) Alphameprodine;
16
              (5) Alphamethadol;
17
              (6) Alpha-methylfentanyl
          (N-(1-alpha-methyl-beta-phenyl) ethyl-4-piperidyl)
18
          propionanilide; 1-(1-methyl-2-phenylethyl)-4-(N-
19
20
          propanilido) piperidine;
21
              (6.1) Alpha-methylthiofentanyl
22
          (N-[1-methyl-2-(2-thienyl)ethyl-
23
          4-piperidinyl]-N-phenylpropanamide);
              (7) 1-methyl-4-phenyl-4-propionoxypiperidine (MPPP);
24
25
              (7.1) PEPAP
          (1-(2-phenethyl)-4-phenyl-4-acetoxypiperidine);
26
```

```
1
               (8) Benzethidine;
 2
               (9) Betacetylmethadol;
 3
               (9.1) Beta-hydroxyfentanyl
           (N-[1-(2-hydroxy-2-phenethyl)-
 4
           4-piperidinyl]-N-phenylpropanamide);
 5
 6
               (10) Betameprodine;
 7
               (11) Betamethadol;
               (12) Betaprodine;
 8
               (13) Clonitazene;
 9
               (14) Dextromoramide;
10
11
               (15) Diampromide;
12
               (16) Diethylthiambutene;
               (17) Difenoxin;
13
               (18) Dimenoxadol;
14
15
               (19) Dimepheptanol;
16
               (20) Dimethylthiambutene;
17
               (21) Dioxaphetylbutyrate;
18
               (22) Dipipanone;
19
               (23) Ethylmethylthiambutene;
20
               (24) Etonitazene;
21
               (25) Etoxeridine;
22
               (26) Furethidine;
23
               (26.1) Hydrocodone;
24
               (27) Hydroxpethidine;
25
               (28) Ketobemidone;
26
               (29) Levomoramide;
```

```
1
               (30) Levophenacylmorphan;
 2
               (31) 3-Methylfentanyl
 3
           (N-[3-methyl-1-(2-phenylethyl)-
          4-piperidyl]-N-phenylpropanamide);
 4
 5
               (31.1) 3-Methylthiofentanyl
 6
           (N-[(3-methyl-1-(2-thienyl)ethyl-
 7
          4-piperidinyl]-N-phenylpropanamide);
 8
               (32) Morpheridine;
 9
               (33) Noracymethadol;
10
               (34) Norlevorphanol;
11
               (35) Normethadone;
12
               (36) Norpipanone;
               (36.1) Para-fluorofentanyl
13
14
           (N-(4-fluorophenyl)-N-[1-(2-phenethyl)-
15
          4-piperidinyl]propanamide);
16
               (37) Phenadoxone;
17
               (38) Phenampromide;
18
               (39) Phenomorphan;
               (40) Phenoperidine;
19
20
               (41) Piritramide;
21
               (42) Proheptazine;
22
               (43) Properidine;
23
               (44) Propiram;
24
               (45) Racemoramide;
25
               (45.1) Thiofentanyl
26
           (N-phenyl-N-[1-(2-thienyl)ethyl-
```

```
4-piperidinyl]-propanamide);
1
 2
               (46) Tilidine;
               (47) Trimeperidine;
 3
               (48) Beta-hydroxy-3-methylfentanyl (other name:
 4
 5
          N-[1-(2-hydroxy-2-phenethyl)-3-methyl-4-piperidinyl]-
          N-phenylpropanamide);
 6
 7
               (49) Furanyl fentanyl (FU-F);
               (50) Butyryl fentanyl;
 8
 9
               (51) Valeryl fentanyl;
10
               (52) Acetyl fentanyl;
11
               (53) Beta-hydroxy-thiofentanyl;
12
               (54) 3,4-dichloro-N-[2-
13
          (dimethylamino) cyclohexyl]-N-
          methylbenzamide (U-47700);
14
15
               (55) 4-chloro-N-[1-[2-
16
          (4-nitrophenyl)ethyl]-2-piperidinylidene]-
17
          benzenesulfonamide (W-18);
18
               (56) 4-chloro-N-[1-(2-phenylethyl)
          -2-piperidinylidene]-benzenesulfonamide (W-15);
19
20
               (57) acrylfentanyl (acryloylfentanyl).
21
          (c) Unless specifically excepted or unless listed in
22
      another schedule, any of the following opium derivatives, its
      salts, isomers and salts of isomers, whenever the existence of
23
24
      such salts, isomers and salts of isomers is possible within the
25
      specific chemical designation:
26
               (1) Acetorphine;
```

```
1
               (2) Acetyldihydrocodeine;
 2
               (3) Benzylmorphine;
               (4) Codeine methylbromide;
 3
               (5) Codeine-N-Oxide;
 5
               (6) Cyprenorphine;
               (7) Desomorphine;
 6
 7
               (8) Diacetyldihydromorphine (Dihydroheroin);
               (9) Dihydromorphine;
 8
               (10) Drotebanol:
 9
10
               (11) Etorphine (except hydrochloride salt);
11
               (12) Heroin;
12
               (13) Hydromorphinol;
13
               (14) Methyldesorphine;
               (15) Methyldihydromorphine;
14
15
               (16) Morphine methylbromide;
16
               (17) Morphine methylsulfonate;
17
               (18) Morphine-N-Oxide;
18
              (19) Myrophine;
               (20) Nicocodeine;
19
20
               (21) Nicomorphine;
21
               (22) Normorphine;
22
               (23) Pholcodine;
23
               (24) Thebacon.
24
              Unless specifically excepted or unless listed in
          (d)
25
      another
              schedule, any material, compound, mixture,
26
      preparation which contains any quantity of the following
```

```
hallucinogenic substances, or which contains any of its salts,
1
 2
      isomers and salts of isomers, whenever the existence of such
      salts, isomers, and salts of isomers is possible within the
 3
      specific chemical designation (for the purposes of this
 4
 5
      paragraph only, the term "isomer" includes the optical,
 6
      position and geometric isomers):
7
              (1) 3,4-methylenedioxyamphetamine
 8
          (alpha-methyl, 3, 4-methylenedioxyphenethylamine,
 9
          methylenedioxyamphetamine, MDA);
10
              (1.1) Alpha-ethyltryptamine
11
          (some trade or other names: etryptamine;
12
          MONASE; alpha-ethyl-1H-indole-3-ethanamine;
13
          3-(2-aminobutyl) indole; a-ET; and AET);
              (2) 3,4-methylenedioxymethamphetamine (MDMA);
14
15
              (2.1) 3,4-methylenedioxy-N-ethylamphetamine
16
          (also known as: N-ethyl-alpha-methyl-
17
          3,4 (methylenedioxy) Phenethylamine, N-ethyl MDA, MDE,
          and MDEA);
18
19
              (2.2) N-Benzylpiperazine (BZP);
20
              (2.2-1) Trifluoromethylphenylpiperazine (TFMPP);
              (3) 3-methoxy-4,5-methylenedioxyamphetamine, (MMDA);
21
22
              (4) 3,4,5-trimethoxyamphetamine (TMA);
23
              (5) (Blank);
              (6) Diethyltryptamine (DET);
24
25
              (7) Dimethyltryptamine (DMT);
26
              (7.1) 5-Methoxy-diallyltryptamine;
```

1	(8) 4-methyl-2,5-dimethoxyamphetamine (DOM, STP);
2	(9) Ibogaine (some trade and other names:
3	7-ethyl-6,6,beta,7,8,9,10,12,13-octahydro-2-methoxy-
4	6,9-methano-5H-pyrido [1',2':1,2] azepino [5,4-b]
5	<pre>indole; Tabernanthe iboga);</pre>
6	(10) Lysergic acid diethylamide;
7	(10.1) Salvinorin A;
8	(10.5) Salvia divinorum (meaning all parts of the plant
9	presently classified botanically as Salvia divinorum,
10	whether growing or not, the seeds thereof, any extract from
11	any part of that plant, and every compound, manufacture,
12	salts, isomers, and salts of isomers whenever the existence
13	of such salts, isomers, and salts of isomers is possible
14	within the specific chemical designation, derivative,
15	mixture, or preparation of that plant, its seeds or
16	extracts);
17	(11) 3,4,5-trimethoxyphenethylamine (Mescaline);
18	(12) Peyote (meaning all parts of the plant presently
19	classified botanically as Lophophora williamsii Lemaire,
20	whether growing or not, the seeds thereof, any extract from
21	any part of that plant, and every compound, manufacture,
22	salts, derivative, mixture, or preparation of that plant,
23	its seeds or extracts);
24	(13) N-ethyl-3-piperidyl benzilate (JB 318);
25	(14) N-methyl-3-piperidyl benzilate;

(14.1) N-hydroxy-3,4-methylenedioxyamphetamine

```
(also known as N-hydroxy-alpha-methyl-
1
 2
          3,4 (methylenedioxy) phenethylamine and N-hydroxy MDA);
               (15) Parahexyl; some trade or other names:
 3
          3-hexyl-1-hydroxy-7,8,9,10-tetrahydro-6,6,9-trimethyl-6H-
 4
 5
          dibenzo (b,d) pyran; Synhexyl;
               (16) Psilocybin;
 6
 7
               (17) Psilocyn;
               (18) Alpha-methyltryptamine (AMT);
 8
 9
               (19) 2,5-dimethoxyamphetamine
10
           (2,5-dimethoxy-alpha-methylphenethylamine; 2,5-DMA);
11
               (20) 4-bromo-2,5-dimethoxyamphetamine
12
           (4-bromo-2,5-dimethoxy-alpha-methylphenethylamine;
13
          4-bromo-2,5-DMA);
               (20.1) 4-Bromo-2,5 dimethoxyphenethylamine.
14
15
          Some trade or other names: 2-(4-bromo-
          2,5-dimethoxyphenyl)-1-aminoethane;
16
17
          alpha-desmethyl DOB, 2CB, Nexus;
               (21) 4-methoxyamphetamine
18
           (4-methoxy-alpha-methylphenethylamine;
19
20
          paramethoxyamphetamine; PMA);
21
               (22) (Blank);
22
               (23) Ethylamine analog of phencyclidine.
23
          Some trade or other names:
          N-ethyl-1-phenylcyclohexylamine,
24
25
           (1-phenylcyclohexyl) ethylamine,
26
          N-(1-phenylcyclohexyl) ethylamine, cyclohexamine, PCE;
```

```
(24) Pyrrolidine analog of phencyclidine. Some trade
1
 2
          or other names: 1-(1-phenylcyclohexyl) pyrrolidine, PCPy,
 3
          PHP;
 4
               (25) 5-methoxy-3,4-methylenedioxy-amphetamine;
 5
               (26) 2,5-dimethoxy-4-ethylamphetamine
 6
           (another name: DOET);
7
               (27) 1-[1-(2-thienyl)cyclohexyl] pyrrolidine
 8
           (another name: TCPy);
 9
               (28) (Blank);
10
               (29) Thiophene analog of phencyclidine (some trade
11
          or other names: 1-[1-(2-thienyl)-cyclohexyl]-piperidine;
12
          2-thienyl analog of phencyclidine; TPCP; TCP);
13
               (29.1) Benzothiophene analog of phencyclidine. Some
          trade or other names: BTCP or benocyclidine;
14
15
               (29.2) 3-Methoxyphencyclidine (3-MeO-PCP);
16
               (30) Bufotenine (some trade or other names:
17
          3-(Beta-Dimethylaminoethyl)-5-hydroxyindole;
          3-(2-dimethylaminoethyl)-5-indolol;
18
          5-hydroxy-N, N-dimethyltryptamine;
19
20
          N, N-dimethylserotonin; mappine);
21
               (31) (Blank);
22
               (32) (Blank);
23
               (33) (Blank);
24
               (34) (Blank);
25
               (34.5) (Blank);
26
               (35) (6aR, 10aR) -9-(hydroxymethyl) -6, 6-dimethyl-3-
```

```
(2-methyloctan-2-yl)-6a,7,
1
 2
          10,10a-tetrahydrobenzo[c]chromen-1-ol
          Some trade or other names: HU-210;
 3
               (35.5) (6aS, 10aS) - 9 - (hydroxymethyl) - 6, 6 -
 4
 5
          dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-
          tetrahydrobenzo[c]chromen-1-ol, its isomers,
 6
7
          salts, and salts of isomers; Some trade or other
 8
          names: HU-210, Dexanabinol;
 9
               (36) Dexanabinol, (6aS, 10aS) -9-(hydroxymethyl)-
10
          6,6-dimethyl-3-(2-methyloctan-2-yl)-
11
          6a, 7, 10, 10a-tetrahydrobenzo[c]chromen-1-ol
12
          Some trade or other names: HU-211;
13
               (37) (Blank);
14
               (38) (Blank);
15
               (39) (Blank);
16
               (40) (Blank);
17
               (41) (Blank);
                                        structurally
                                                       derived
18
               (42)
                      Any
                            compound
                                                                  from
          3-(1-naphthoyl)indole or 1H-indol-3-yl-(1-naphthyl)methane
19
          by substitution at the nitrogen atom of the indole ring by
20
21
          alkyl,
                      haloalkyl,
                                      alkenyl,
                                                     cycloalkylmethyl,
22
          cycloalkylethyl, aryl
                                     halide, alkyl
                                                        arvl
                                                               halide,
23
          1-(N-methyl-2-piperidinyl) methyl,
                                                                    or
          2-(4-morpholinyl)ethyl whether or not further substituted
24
25
                   indole ring to any extent, whether or not
26
          substituted in the naphthyl ring to any extent. Examples of
```

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

this structural class include, but are not limited to,

JWH-018, AM-2201, JWH-175, JWH-184, and JWH-185;

- (43) Any compound structurally derived from 3-(1-naphthoyl)pyrrole by substitution at the nitrogen atom of the pyrrole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the pyrrole ring to any extent, whether or not substituted in the naphthyl ring to any extent. Examples of this structural class include, but are not limited to, JWH-030, JWH-145, JWH-146, JWH-307, and JWH-368;
- compound structurally derived (44)Any from 1-(1-naphthylmethyl)indene by substitution at the 3-position of the indene ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl 1-(N-methyl-2-piperidinyl) methyl, halide, 2-(4-morpholinyl)ethyl whether or not further substituted in the indene ring to any extent, whether or substituted in the naphthyl ring to any extent. Examples of this structural class include, but are not limited to, JWH-176;
- (45) Any compound structurally derived from 3-phenylacetylindole by substitution at the nitrogen atom of the indole ring with alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted in the indole ring to any extent, whether or not substituted in the phenyl ring to any extent. Examples of this structural class include, but are not limited to, JWH-167, JWH-250, JWH-251, and RCS-8;

- (46) Any compound structurally derived from 2-(3-hydroxycyclohexyl)phenol by substitution at the 5-position of the phenolic ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not substituted in the cyclohexyl ring to any extent. Examples of this structural class include, but are not limited to, CP 47, 497 and its C8 homologue (cannabicyclohexanol);
- (46.1)Any compound structurally derived 3-(benzoyl) indole with substitution at the nitrogen atom of the indole ring by an alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl) methyl, 2-(4-morpholinyl)ethyl group whether or not further substituted in the indole ring to any extent and whether or not substituted in the phenyl ring to any extent. Examples of this structural class include, but are not limited to, AM-630, AM-2233, AM-694, Pravadoline (WIN 48,098), and RCS-4;

```
1
               (47) (Blank);
 2
               (48) (Blank);
 3
               (49) (Blank);
               (50) (Blank);
 4
               (51) (Blank);
 6
               (52) (Blank);
7
               (53)
                      2,5-Dimethoxy-4-(n)-propylthio-phenethylamine.
          Some trade or other names: 2C-T-7;
 8
 9
               (53.1) 4-ethyl-2,5-dimethoxyphenethylamine. Some trade
10
          or other names: 2C-E;
11
                        2,5-dimethoxy-4-methylphenethylamine.
                                                                  Some
12
          trade or other names: 2C-D;
13
                        4-chloro-2,5-dimethoxyphenethylamine.
               (53.3)
                                                                  Some
14
          trade or other names: 2C-C;
15
               (53.4) 4-iodo-2,5-dimethoxyphenethylamine. Some trade
16
          or other names: 2C-I;
17
               (53.5) 4-ethylthio-2,5-dimethoxyphenethylamine. Some
          trade or other names: 2C-T-2;
18
                        2,5-dimethoxy-4-isopropylthio-phenethylamine.
19
          Some trade or other names: 2C-T-4;
20
21
               (53.7) 2,5-dimethoxyphenethylamine.
                                                      Some trade or
22
          other names: 2C-H;
23
               (53.8) 2,5-dimethoxy-4-nitrophenethylamine. Some trade
          or other names: 2C-N;
24
25
               (53.9) 2,5-dimethoxy-4-(n)-propylphenethylamine. Some
26
          trade or other names: 2C-P;
```

1 (53.10) 2,5-dimethoxy-3,4-dimethylphenethylamine. Some 2 trade or other names: 2C-G;

- (53.11) The N-(2-methoxybenzyl) derivative of any 2C phenethylamine referred to in subparagraphs (20.1), (53), (53.1), (53.2), (53.3), (53.4), (53.5), (53.6), (53.7), (53.8), (53.9), and (53.10) including, but not limited to, 25I-NBOMe and 25C-NBOMe;
- (54) 5-Methoxy-N, N-diisopropyltryptamine;
- (55) (Blank);
- 10 (56) (Blank);
- 11 (57) (Blank);
- 12 (58) (Blank);
 - (59) 3-cyclopropoylindole with substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indole ring to any extent, whether or not substituted on the cyclopropyl ring to any extent: including, but not limited to, XLR11, UR144, FUB-144;
 - (60) 3-adamantoylindole with substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indole ring to any extent, whether or not

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

substituted on the adamantyl ring to any extent: including, but not limited to, AB-001;

- N-(adamantyl)-indole-3-carboxamide with substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl) methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indole ring to any extent, whether or not substituted on the adamantyl ring to any extent: including, but not limited to, APICA/2NE-1, STS-135;
- N-(adamantyl)-indazole-3-carboxamide with substitution at a nitrogen atom of the indazole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indazole ring to any extent, whether or not substituted on the adamantyl ring to any extent: including, but not limited to, AKB48, 5F-AKB48;
 - (63) 1H-indole-3-carboxylic acid 8-quinolinyl ester with substitution at the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted

on the indole ring to any extent, whether or not substituted on the quinoline ring to any extent: including, but not limited to, PB22, 5F-PB22, FUB-PB-22;

- (64) 3-(1-naphthoyl) indazole with substitution at the nitrogen atom of the indazole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indazole ring to any extent, whether or not substituted on the naphthyl ring to any extent: including, but not limited to, THJ-018, THJ-2201;
- (65) 2-(1-naphthoyl) benzimidazole with substitution at the nitrogen atom of the benzimidazole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl) methyl, or 2-(4-morpholinyl) ethyl, whether or not further substituted on the benzimidazole ring to any extent, whether or not substituted on the naphthyl ring to any extent: including, but not limited to, FUBIMINA;
 - (66) N-(1-amino-3-methyl-1-oxobutan-2-yl)-1H-indazole-3-carboxamide with substitution on the nitrogen atom of the indazole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted

on the indazole ring to any extent: including, but not limited to, AB-PINACA, AB-FUBINACA, AB-CHMINACA;

- N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1Hindazole-3-carboxamide with substitution on the nitrogen
 atom of the indazole ring by alkyl, haloalkyl, alkenyl,
 cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl
 halide, 1-(N-methyl-2-piperidinyl)methyl, or
 2-(4-morpholinyl)ethyl, whether or not further substituted
 on the indazole ring to any extent: including, but not
 limited to, ADB-PINACA, ADB-FUBINACA;
- (68) N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1H-indole-3-carboxamide with substitution on the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indole ring to any extent: including, but not limited to, ADBICA, 5F-ADBICA;
- (69) N-(1-amino-3-methyl-1-oxobutan-2-yl)-1H-indole-3-carboxamide with substitution on the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indole ring to any extent: including, but not limited to, ABICA, 5F-ABICA;

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

1	(70) Methyl 2-(1H-indazole-3-carboxamido)-3-
2	methylbutanoate with substitution on the nitrogen atom of
3	the indazole ring by alkyl, haloalkyl, alkenyl,
4	cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl
5	halide, 1-(N-methyl-2-piperidinyl)methyl, or
6	2-(4-morpholinyl)ethyl, whether or not further substituted
7	on the indazole ring to any extent: including, but not
8	limited to, AMB, 5F-AMB;-

- (71) Methyl 2-(1H-indazole-3-carboxamido)-3,3-dimethylbutanoate with substitution on the nitrogen atom of the indazole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indazole ring to any extent: including, but not limited to, 5-fluoro-MDMB-PINACA, MDMB-FUBINACA;
- Methyl 2-(1H-indole-3-carboxamido)-3-(72)methylbutanoate with substitution on the nitrogen atom of the indole rina by alkyl, haloalkyl, alkenvl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl) methyl, 2-(4-morpholinyl)ethyl, whether or not further substituted on the indazole ring to any extent: including, but not limited to, MMB018, MMB2201, and AMB-CHMICA;
- (73) Methyl 2-(1H-indole-3-carboxamido)-3,3-dimethylbutanoate with substitution on the nitrogen atom

1	of	the	indole	ring	ı b	у а	lkyl	, h	aloalkyl	,	alke:	nyl,
2	cyc	loalk	ylmethyl,	cycl	oal	kylet	hyl,	aryl	halide	al	kyl a	aryl
3	hal	ide,	1-	(N-me	thyl	L-2-p	iper	idiny	vl)methy.	l,		or
4	2-(4	4-morp	pholinyl)	ethyl	, wh	nethe	er or	not	further	sub	stit	uted
5	on	the i	ndazole	ring	to	any	exte	nt:	includi	ng,	but	not
ń	lim:	ited t	o. MDMB-	СНМТС	A :							

- N-(1-Amino-1-oxo-3-phenylpropan-2-yl)-1Hindazole-3-carboxamide with substitution on the nitrogen
 atom of the indazole ring by alkyl, haloalkyl, alkenyl,
 cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl
 halide, 1-(N-methyl-2-piperidinyl)methyl, or
 2-(4-morpholinyl)ethyl, whether or not further substituted
 on the indazole ring to any extent: including, but not
 limited to, APP-CHMINACA, 5-fluoro-APP-PINACA;
- (75) N-(1-Amino-1-oxo-3-phenylpropan-2-yl)-1H-indole-3-carboxamide with substitution on the nitrogen atom of the indole ring by alkyl, haloalkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, aryl halide, alkyl aryl halide, 1-(N-methyl-2-piperidinyl)methyl, or 2-(4-morpholinyl)ethyl, whether or not further substituted on the indazole ring to any extent: including, but not limited to, APP-PICA and 5-fluoro-APP-PICA;
 - (76) 4-Acetoxy-N, N-dimethyltryptamine: trade name 4-AcO-DMT;
 - (77) 5-Methoxy-N-methyl-N-isopropyltryptamine: trade name 5-MeO-MIPT;

26

(78) 4-hydroxy Diethyltryptamine (4-HO-DET); 1 2 (79) 4-hydroxy-N-methyl-N-ethyltryptamine (4-HO-MET); (80) 4-hydroxy-N, N-diisopropyltryptamine (4-HO-DiPT); 3 (81)4-hydroxy-N-methyl-N-isopropyltryptamine 4 5 (4-HO-MiPT);(82) Fluorophenylpiperazine; 6 (83) Methoxetamine; 7 1-(Ethylamino)-2-phenylpropan-2-one 8 (84)(iso-9 ethcathinone). 10 Unless specifically excepted or unless listed in 11 another schedule, any material, compound, mixture, 12 preparation which contains any quantity of the following 13 substances having a depressant effect on the central nervous system, including its salts, isomers, and salts of isomers 14 whenever the existence of such salts, isomers, and salts of 15 16 isomers is possible within the specific chemical designation: 17 (1) mecloqualone; (2) methagualone; and 18 19 (3) gamma hydroxybutyric acid. 20 Unless specifically excepted or unless listed in 21 another schedule, any material, compound, mixture, 22 preparation which contains any quantity of the following 23 substances having a stimulant effect on the central nervous system, including its salts, isomers, and salts of isomers: 24

(1) Fenethylline;

(2) N-ethylamphetamine;

Τ	(3) Amiliotex (Some Other mames:					
2	2-amino-5-phenyl-2-oxazoline; aminoxaphen;					
3	4-5-dihydro-5-phenyl-2-oxazolamine) and its					
4	salts, optical isomers, and salts of optical isomers;					
5	(4) Methcathinone (some other names:					
6	2-methylamino-1-phenylpropan-1-one;					
7	Ephedrone; 2-(methylamino)-propiophenone;					
8	alpha-(methylamino)propiophenone; N-methylcathinone;					
9	methycathinone; Monomethylpropion; UR 1431) and its					
10	salts, optical isomers, and salts of optical isomers;					
11	(5) Cathinone (some trade or other names:					
12	2-aminopropiophenone; alpha-aminopropiophenone;					
13	2-amino-1-phenyl-propanone; norephedrone);					
14	(6) N, N-dimethylamphetamine (also known as:					
15	N, N-alpha-trimethyl-benzeneethanamine;					
16	N, N-alpha-trimethylphenethylamine);					
17	(7) (+ or -) cis-4-methylaminorex ((+ or -) cis-					
18	4,5-dihydro-4-methyl-4-5-phenyl-2-oxazolamine);					
19	(8) 3,4-Methylenedioxypyrovalerone (MDPV);					
20	(9) Halogenated amphetamines and					
21	methamphetamines - any compound derived from either					
22	amphetamine or methamphetamine through the substitution					
23	of a halogen on the phenyl ring, including, but not					
24	limited to, 2-fluoroamphetamine, 3-					
25	fluoroamphetamine and 4-fluoroamphetamine;					
26	(10) Aminopropylbenzofuran (APB):					

```
including 4-(2-Aminopropyl) benzofuran, 5-
1
          (2-Aminopropyl) benzofuran, 6-(2-Aminopropyl)
 2
          benzofuran, and 7-(2-Aminopropyl) benzofuran;
 3
              (11) Aminopropyldihydrobenzofuran (APDB):
 4
 5
          including 4-(2-Aminopropyl)-2,3-dihydrobenzofuran,
          5-(2-Aminopropyl)-2, 3-dihydrobenzofuran,
 6
 7
          6-(2-Aminopropyl)-2,3-dihydrobenzofuran,
          and 7-(2-Aminopropyl)-2,3-dihydrobenzofuran;
 8
 9
              (12) Methylaminopropylbenzofuran
10
          (MAPB): including 4-(2-methylaminopropyl)
11
          benzofuran, 5-(2-methylaminopropyl)benzofuran,
12
          6-(2-methylaminopropyl)benzofuran
13
          and 7-(2-methylaminopropyl)benzofuran.
          (q) Temporary listing of substances subject to emergency
14
      scheduling. Any material, compound, mixture, or preparation
15
16
      that contains any quantity of the following substances:
17
                        N-[1-benzyl-4-piperidyl]-N-phenylpropanamide
              (1)
          (benzylfentanyl), its optical isomers, isomers, salts, and
18
          salts of isomers:
19
20
              (2)
                        N-[1(2-thienyl)]
                                              methyl-4-piperidyl]-N-
          phenylpropanamide (thenylfentanyl), its optical isomers,
21
22
          salts, and salts of isomers.
23
          (h) Synthetic cathinones. Unless specifically excepted,
      any chemical compound which is not approved by the United
24
25
      States Food and Drug Administration or, if approved, is not
26
      dispensed or possessed in accordance with State or federal law,
```

7

8

9

10

11

12

13

14

15

16

17

18

19

20

- not including bupropion, structurally derived from 2 2-aminopropan-1-one by substitution at the 1-position with 3 either phenyl, naphthyl, or thiophene ring systems, whether or 4 not the compound is further modified in one or more of the 5 following ways:
 - (1) by substitution in the ring system to any extent with alkyl, alkylenedioxy, alkoxy, haloalkyl, hydroxyl, or halide substituents, whether or not further substituted in the ring system by one or more other univalent substituents. Examples of this class include, but are not limited to, 3,4-Methylenedioxycathinone (bk-MDA);
 - (2) by substitution at the 3-position with an acyclic alkyl substituent. Examples of this class include, but are not limited to, 2-methylamino-1-phenylbutan-1-one (buphedrone); or
 - (3) by substitution at the 2-amino nitrogen atom with alkyl, dialkyl, benzyl, or methoxybenzyl groups, or by inclusion of the 2-amino nitrogen atom in a cyclic structure. Examples of this class include, but are not limited to, Dimethylcathinone, Ethcathinone, and a-Pyrrolidinopropiophenone (a-PPP).
- 22 (Source: P.A. 99-371, eff. 1-1-16; 100-201, eff. 8-18-17;
- 23 100-368, eff. 1-1-18; revised 10-5-17.)
- 24 (720 ILCS 570/206) (from Ch. 56 1/2, par. 1206)
- Sec. 206. (a) The controlled substances listed in this

9

10

11

12

- 1 Section are included in Schedule II.
- 2 (b) Unless specifically excepted or unless listed in 3 another schedule, any of the following substances whether 4 produced directly or indirectly by extraction from substances 5 of vegetable origin, or independently by means of chemical 6 synthesis, or by combination of extraction and chemical 7 synthesis:
 - (1) Opium and opiates, and any salt, compound, derivative or preparation of opium or opiate, excluding apomorphine, dextrorphan, levopropoxyphene, nalbuphine, nalmefene, naloxone, and naltrexone, and their respective salts, but including the following:
 - (i) Raw Opium;
- 14 (ii) Opium extracts;
- 15 (iii) Opium fluid extracts;
- 16 (iv) Powdered opium;
- 17 (v) Granulated opium;
- 18 (vi) Tincture of opium;
- 19 (vii) Codeine;
- 20 (viii) Ethylmorphine;
- 21 (ix) Etorphine Hydrochloride;
- 22 (x) (Blank); Hydrocodone;
- 23 (xi) Hydromorphone;
- 24 (xii) Metopon;
- 25 (xiii) Morphine;
- 26 (xiii.5) 6-Monoacetylmorphine;

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

L	(xiv)	Oxycodone;

2 (xv) Oxymorphone;

(xv.5) Tapentadol;

(xvi) Thebaine;

(xvii) Thebaine-derived butorphanol.

Methorphan, except drug products containing dextromethorphan that may be dispensed pursuant to a prescription order of a practitioner and are sold in compliance with the safety and labeling standards as set forth by the United States Food and Drug Administration, or drug products containing dextromethorphan that are sold in solid, tablet, liquid, capsule, powder, thin film, or gel form and which are formulated, packaged, and sold in dosages and concentrations for use as an over-the-counter drug product. For the purposes of this Section, "over-the-counter drug product" means a drug that is available to consumers without a prescription and sold in compliance with the safety and labeling standards as set forth by the United States Food and Drug Administration.

(2) Any salt, compound, isomer, derivative or preparation thereof which is chemically equivalent or identical with any of the substances referred to in subparagraph (1), but not including the isoquinoline alkaloids of opium;

13

14

15

16

17

18

19

20

- 1 (3) Opium poppy and poppy straw;
- 2 (4) Coca leaves and any salt, compound, isomer, salt of 3 isomer, derivative, or preparation of coca leaves including cocaine or ecgonine, and any salt, compound, 4 5 isomer, derivative, or preparation thereof which is chemically equivalent or identical with any of these 6 7 substances, but not including decocainized coca leaves or extractions of coca leaves which do not contain cocaine or 8 9 ecgonine (for the purpose of this paragraph, the term 10 "isomer" includes optical, positional and geometric 11 isomers);
 - (5) Concentrate of poppy straw (the crude extract of poppy straw in either liquid, solid or powder form which contains the phenanthrine alkaloids of the opium poppy).
 - (c) Unless specifically excepted or unless listed in another schedule any of the following opiates, including their isomers, esters, ethers, salts, and salts of isomers, whenever the existence of these isomers, esters, ethers and salts is possible within the specific chemical designation, dextrorphan excepted:
 - (1) Alfentanil;
- 22 (1.1) Carfentanil;
- 23 (1.2) Thiafentanyl;
- 24 (2) Alphaprodine;
- 25 (3) Anileridine;
- 26 (4) Bezitramide;

```
1
               (5) Bulk Dextropropoxyphene (non-dosage forms);
 2
               (6) Dihydrocodeine;
               (7) Diphenoxylate;
 3
               (8) Fentanyl;
 5
               (9) Sufentanil;
               (9.5) Remifentanil;
 6
 7
               (10) Isomethadone;
               (11) (Blank);
 8
 9
               (12) Levorphanol (Levorphan);
10
               (13) Metazocine;
11
               (14) Methadone;
12
               (15) Methadone-Intermediate,
13
          4-cyano-2-dimethylamino-4,4-diphenyl-1-butane;
               (16) Moramide-Intermediate,
14
15
          2-methyl-3-morpholino-1,1-diphenylpropane-carboxylic
16
          acid;
17
               (17) Pethidine (meperidine);
18
               (18) Pethidine-Intermediate-A,
           4-cyano-1-methyl-4-phenylpiperidine;
19
20
               (19) Pethidine-Intermediate-B,
21
          ethyl-4-phenylpiperidine-4-carboxylate;
22
               (20) Pethidine-Intermediate-C,
          1-methyl-4-phenylpiperidine-4-carboxylic acid;
23
               (21) Phenazocine;
24
25
               (22) Piminodine;
26
               (23) Racemethorphan;
```

- 1 (24) (Blank);
- 2 (25) Levo-alphacetylmethadol (some other names:
- 3 levo-alpha-acetylmethadol, levomethadyl acetate, LAAM).
- 4 (d) Unless specifically excepted or unless listed in
- 5 another schedule, any material, compound, mixture, or
- 6 preparation which contains any quantity of the following
- 7 substances having a stimulant effect on the central nervous
- 8 system:
- 9 (1) Amphetamine, its salts, optical isomers, and salts
- of its optical isomers;
- 11 (2) Methamphetamine, its salts, isomers, and salts of
- 12 its isomers;
- 13 (3) Phenmetrazine and its salts;
- 14 (4) Methylphenidate;
- 15 (5) Lisdexamfetamine.
- 16 (e) Unless specifically excepted or unless listed in
- 17 another schedule, any material, compound, mixture, or
- 18 preparation which contains any quantity of the following
- 19 substances having a depressant effect on the central nervous
- 20 system, including its salts, isomers, and salts of isomers
- 21 whenever the existence of such salts, isomers, and salts of
- 22 isomers is possible within the specific chemical designation:
- 23 (1) Amobarbital;
- 24 (2) Secobarbital;
- 25 (3) Pentobarbital;
- 26 (4) Pentazocine;

1 (5) Phencyclidine; (6) Gluthethimide; 2 3 (7) (Blank). (f) Unless specifically excepted or unless listed in 4 another schedule, any material, compound, mixture, or 5 6 preparation which contains any quantity of the following substances: 7 8 (1)Immediate precursor to amphetamine and 9 methamphetamine: 10 (i) Phenylacetone 11 Some trade or other names: phenyl-2-propanone; 12 P2P; benzyl methyl ketone; methyl benzyl ketone. 13 (2) Immediate precursors to phencyclidine: 14 (i) 1-phenylcyclohexylamine; 15 (ii) 1-piperidinocyclohexanecarbonitrile (PCC). 16 (3) Nabilone. 17 (Source: P.A. 100-368, eff. 1-1-18.)